

TECHNICAL SHEET CN STANDARD RANGE C75S STEEL FOR BEARING

REFERENCE BORRELLY		CN140AF	CN140AF		
Outer diameter of the bearing (mm)		140	SPRING WASHERS	SPRING WASHERS	
Borrelly part code			PDD139119100XT		
Material			Carbon Steel C75S 1.1248		
Standard referen outer ring	ces for the bearing mo	ounting on 6018 6216 6	313 6411		
	Ø min (for application	other than 140			
bearing preload)					
Clears Shaft Ø ma bearing preload)	ax (for application othe (mm)	er than 117.0			
Material thicknes	s ±10% (mm)	1.00			
Number of waves		4			
Approximate free	•	6.4			
	l for CN bearing preloa	d must be between 2,8	0 and 2,00		
between H1 and		SKKING WASHIKS			
Approximate spri	ng rate (N/mm)	113			
			SPRING WASHERS bor	relly.com	

Non-contractual document. Information given for information purposes only. Subject to change